

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/PB/IND/103601/2019
<b>Compliance ID</b>	112377380
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/112377380/2024
<b>Reporting Year</b>	2024
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Submission Date</b>	25-11-2024
<b>RO/SRO Name</b>	Santosh Tiwari
<b>RO/SRO Email</b>	bh158@ifs.nic.in
<b>State</b>	PUNJAB
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Chandigarh
<b>Note:-</b> SMS and E-Mail has been sent to Santosh Tiwari, PUNJAB with Notification to Project Proponent.	

# VSB VITAL STEEL BARS LLP

DEALS IN : WIRE ROD, BILLET, INGOT AND MS BAR.

VILL. BUDHEWAL, CHANDIGARH ROAD, LUDHIANA-141112 (PUNJAB)  
E-mail : vitalsteelbarsllp@gmail.com

Ref. No. ....

Dated ..... 25-11-2024

To,  
**The Director,**  
Govt. of India, MOEF,  
Northern Regional Office,  
Bays No. 24-25,  
Sector-31, Chandigarh.160030

**Subject: Submission of Six-monthly Compliance Report of M/s Vital Steel Bars LLP located at Village- Budhewal, Chandigarh Road, District- Ludhiana, Punjab. For the monitoring period ending September, 2024.**

Dear Sir,

This is in reference to the requirement stated in Environmental Clearance granted by Ministry of Environment & Forests, Government of India, Delhi vide their letter No. J-11011/49/2017-IA. II(I) dated 08/04/2019 and transfer of EC on the name of "Vital Steels Bars LLP" vide their letter No. IA-J-11011/49/2017-IA-II(I) dated 14.10.2019. Copy of the same enclosed and was sent by them to your office as well.

As per Miscellaneous condition no.(v) of the Environment Clearance for our aforesaid project, we are herewith submitting the half yearly report for the period ending September, 2024.

Thanking you & Regards

**CONTACT DETAILS:**

Name: -Sh. Aseem Aggarwal

Mobile No- 98148-04798

Email: vitalsteelbarsllp@gmail.com

Yours Sincerely,  
M/s Vital Steels Bars LLP,

Authorized Signatory



1. **CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate change, C/o Punjab Bio-Technology Incubator (PBTI Complex), Knowledge City, Sector-81, SAS Nagar-140308**
2. **The Environmental Engineer, Punjab Pollution Control Board, Regional Office-V, Ludhiana, Punjab.**

## TABLE OF CONTENTS

<b>S. No.</b>	<b>Description</b>	<b>Page No.</b>
1.	Data Sheet	2-3
2.	Compliance status of the stipulated EC conditions	4-15
3.	Annexure-I: Environment Clearance Letter	16-24
4.	Annexure-II: Transfer of Environment Clearance	25-26
5.	Annexure III: CTO Air & Water	27-30
6.	Annexure IV: Authorization of HWM	31-32
7.	Annexure V: Advertisement published in local newspaper of EC Granted	33-34
8.	Annexure VI: Site Photographs	35-36
9.	Annexure VII: Green belt photographs	37-39
10.	Annexure VIII: CSR Activities details along with photographs	40-41
11.	Annexure IX: Environment Management Cell	42
12.	Annexure X: Ground water permission	43
13.	Annexure XI: Analysis reports of– Air, Water & Noise	44-47

**Ministry of Environment, Forest and Climate Change**  
**Northern Region Office**  
**Chandiagr-160030**

**DATA SHEET**

1	Project Type	Steel Manufacturing unit 3(a) Metallurgical Industries (Ferrous and Nonferrous) under Category "A".
2	Name of Project	M/s Vital Steel Bars LLP
3	Clearance letter No. Clearance Transfer Letter No.	J-11011/49/2017-IA.II (I) Dated 08.04.2019 IA-J-11011/49/2017-IA-II(I) Dated 14.10.2019
4	Location: a) Tehsil b) District (S) c) State (S) d) Latitudes e) Longitudes	Ludhiana Ludhiana Punjab 30°53'22.30"N 30°53'25.86"E
5	Address for Correspondence	Sh. Aseem Aggarwal (Partner) Village Budhewal, Chandigarh Road, Ludhiana, Punjab- 141112, Mobile No.- 98553-00012
6	Salient features: a) of project	The project originally was named M/s Aarti Impex and later on transfer to Vital Steel Bars LLP, clearance letter and transfer letter for the same enclosed.  Further, the proposed project is an expansion project production capacity from 21,000 MTPA to 2,24,400 MTA of rolled products and augmentation of integrating melting form 26,400 MTPA to 2,31,000 MTPA. The project/activity falls under Category "A".  Area of the Project: 3.931 Ha.  The total freshwater requirement of the project is estimated as 150 m <sup>3</sup> /day, which will be sourced from the Borewell. The power requirement of the project is estimated to be 27680 KW.  <b>Production Capacity</b>  Rolled products (Rods, wire rods) @ 2,24,400 TPA  Augmentation of integrated melting @ 2,31,000 TPA

	b) EMP	Capital cost Rs. 300 lac and Recurring cost Rs 330 Lac
7	Breakup of project Area a) Submerged area forest & non forest. b) Others	NIL 3.931 Ha
8	Breakup of project affected population with enumeration of those losing houses/dwelling units only, agriculture land only both dwelling units and agriculture land and landless laborers/artisans. a) SC/ST/Adivasis b) others	NA --
9	Financial details a) Project cost as originally planned and subsequent revised estimates and the year of price rat reference. b) Allocation made for environmental management plans with item wise and year wise breakup. c) Benefit cost ratio/internal rate of return and year of assessment. d) Whether (c) includes the cost of environmental management as shown in b) above. e) Actual expenditure incurred on the project so far. f) Actual expenditure incurred on the EMP so far	45.13 Crore 300 Lacs --- Yes 81.25 Crore 270 Lacs
10	Forest land requirement: a) The status of approval for diversion of forest land for non –forestry use. b) Status of clear felling c) The status of compensatory a forestation, if any. d) Comments on the viability & sustainability of compensatory a forestation programs in the light of actual field experience so far.	NA NA NIL NIL
11	The status of clear felling in non-forest areas.	NIL
12	Status of construction: a) Date of commencement b) Date of completion.	April 2019. October 2019.
13	Reason for delay if any the projects yet to start.	NA

## COMPLIANCE REPORT OF STIPULATED EC CONDITIONS

### “M/s Vital Steel Bars LLP”

Sr. No.	EC Condition	Compliance status as on 30.09.2024
<b>A. Specific Conditions</b>		
i.	The PP should lay down the Environmental Policy which is approved by Boarder of Directors /Managing Partners. The Environment Policy should prescribe for standard operating process/procedures to bring into focus any infringement/ deviation/ violation of environmental/forest norms/ conditions.	Complied. Environment Policy of the company prescribing the standard operating process/ procedures have been prepared and copy of the same enclosed as <b>Annexure-IX</b> .
ii.	The PP shall provide employment to 150 local people as per the commitments of PH.	Complied. Employment has been provided to local people as per their skill set.
iii.	No wastewater shall be discharged outside the premises.	Agreed and complied.
iv.	The storm water from the surround premises shall be collected and utilized as a part of rainwater.	Agreed & complied. Rainwater is being collected and used for plantation and rolling process.
v.	No Re-heating furnace shall be used.	Noted and agreed.
<b>B. General Conditions</b>		
<b>I</b>	<b>Statutory Conditions</b>	
i.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board.	Complied. Consent to Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 have been obtained from Punjab Pollution Control Board. Copy of the same enclosed as <b>Annexure-III</b> .

ii.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/ from the competent authority concerned in case of drawl of surface water required for the project.	PWRDA Ground water permission already obtained as per PWRDA (Permission Number: GW/PWRDA/07/2024/L2/246 valid upto 11 <sup>th</sup> July 2027, under the Punjab Ground water Extraction and Conservation Directions, 2023 and the copy of the same enclosed as <b>Annexure-X</b> .
iii.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Complied. Authorization under the Hazardous and other Waste Management Rules, 2016 has been already obtained. Copy of the same enclosed as <b>Annexure-IV</b> .
<b>II</b>	<b>Air quality monitoring and preservation</b>	
i	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. 277 (E) dated 31 <sup>st</sup> March 2012 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Complied. 24x7 continuous emission monitoring system at process stack and four number of continuous ambient air quality station have been installed and fully operational. Photographs enclosed as <b>Annexure-VI</b> .
ii	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories	Complying.
iii	The project proponent shall install system carryout manual Ambient Air Quality monitoring for common/criterion parameters	Total 4 Nos. of Ambient Air Quality monitoring stations have been installed. Beside this, manual

	relevant to the main pollutants released (e.g., PM <sub>10</sub> and PM <sub>2.5</sub> in reference to PM emission, and SO <sub>2</sub> and NO <sub>x</sub> in reference to SO <sub>2</sub> and NO <sub>x</sub> emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.	monitoring of air quality is being done by an arrangement with NABL approved lab. Test report of air quality monitoring attached as <b>Annexure-XI</b> .
iv	The project proponent shall submit monthly summary report of continuous stack emission along with results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Noted and Agreed.
v	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	Adequate Air Pollution Control systems have been provided for all of the dust generating points.
vi	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Complied. Leakage detection and mechanized bag cleaning facilities are already in place.
vii	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Complying. Being a small unit manual cleaning is being done.
viii	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.	Complying APCD dust is being disposed-off to approved Hazardous waste recyclers.



ix	The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Not Applicable. As no material likely to become airborne will be used in the process.
x	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	Covered sheds with pucca floor provided for storage of raw material.
xi	The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.	Fume extraction system for primary emission has been already in place.
xii	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.	Proper ventilation system is already provided.
<b>III</b>	<b>Water quality monitoring and preservation</b>	
i	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 <sup>st</sup> March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30 <sup>th</sup> May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7 <sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Not Applicable As no water will be used in the process and hence no waste water generation.
ii	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection)	As no waste water will be generated and discharged form process, the installation of piezometers has not been considered. The ground water quality is being monitored and the

	Act, 1986 and NABL accredited laboratories.	analysis report of the same attached herewith as <b>Annexure- XI</b> .
iii	The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Not Applicable. As no industrial effluent has been generated from process operations.
iv	Adhere to 'Zero Liquid Discharge'.	Not Applicable. As there will be no generation of trade effluent.
v	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	Domestic waste water is being treated in STP before disposed-off onto land for plantation.
vi	The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31 <sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time.	Not Applicable. As no industrial effluent generates.
vii	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Not Applicable. As all the R.M finished products will be stored in covered sheets.
viii	The project proponent shall practice rainwater harvesting to maximum possible extent.	Rain water collection tank has been constructed for rain water harvesting within the project site.
ix	The project proponent shall make efforts to minimize water consumption in the IF plant complex by segregation of used water, practicing cascade use and by recycling treated water.	No water is consumed in the process. The cooling tower is being operated at higher cycle of concentration thereby reducing blow down and minimizing make up water. Cascade use is not practicable in induction furnace technology.

<b>IV</b>	<b>Noise monitoring and prevention</b>	
i	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Office of the Ministry as a part of six-monthly compliance report.	Noise survey has been carried out during base line study; however, regular noise level monitoring is being carried out.
ii	The ambient noise levels should conform the standards prescribed under Environment (Protection) Act and Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during nighttime.	Latest noise monitoring report attached herewith as <b>Annexure-XI</b> .
<b>V</b>	<b>Energy Conservation Measures</b>	
i	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	Not Applicable.
ii	Practice hot charging of slabs and billets/blooms as far as possible.	Noted and Agreed.
iii	Ensure installation of regenerative type burners on all reheating furnaces.	Noted and Agreed.
iv	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly.	Due to heavy duty cranes operation, there is vibration in the overhead shed that's why it's not feasible to install the solar system on roof top.
v	Provide the project proponent for LED lights in their offices and residential areas.	LED lights have been provided in the office area.
<b>VI</b>	<b>Waste Management</b>	
i	Used refractories shall be recycled as far as possible.	Complying.
ii	Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.	Noted & complying.
iii	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for the further utilization and Memorandum of	Not Applicable. As no-fly ash will be generated.

	understanding in this regard shall be submitted to the Ministry's Regional Office.	
v	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.	Agreed for compliance. The used oil is being used within the industry as lubricant and the balance disposed-off to authorized recyclers. The APCD dust will be disposed-off to authorized/approved preprocessor.
<b>VII</b>	<b>Green Belt</b>	
i	Green belt shall be developed in an area equal to 33% of the plant area with native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Green belt has been developed within the project premises and in the adjoining land owned by the Directors of the company. Photographs of the same enclosed as <b>Annexure-VII</b> .
ii	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the program for reduction of the same including carbon sequestration including plantation.	Noted and agreed.
<b>VIII</b>	<b>Public hearing and Human Health Issues</b>	
i	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted & agreed.
ii	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per norms of Factory Act.	The work zone is being regularly monitored. The workers exposed to high temperatures are provided flame resistance garments, hard hat, eyewear, gloves and ear protection.
iii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form	Complied. Required facilities were provided at the time of construction phase.

	of temporary structures to be removed after the completion of the project.	
iv	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Occupational health surveillance record of the workers is maintained. Workers are regularly examined by the nearby hospital.
<b>IX</b>	<b>Corporate Environment Responsibility</b>	
i	The project proponent shall comply with the provisions contained in the MoEF&CC OM vide F.no. 22-65/2017-IA.III dated 1 <sup>st</sup> May 2018, as applicable, regarding CER.	Agreed & complying.
ii	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy shall prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/wildlife norms/ conditions and/or shareholders/ stakeholders. The copy of the board resolution in this regard shall be submitted to the SEIAA and concerned RO of MoEF&CC as a part of six-monthly compliance report.	The company has laid down environmental policy. Separate SOP for its implementation has not been prescribed as the same is available in Quality Manual. The EMC works after the implementation of EMP & comply with the statutory requirement.
iii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be setup under the control of senior executive, who will directly to the head of the organization with all details to be submitted to SEIAA.	Noted & Complied: A separate environmental cell has been duly constituted at project level for overseeing the environmental issues and safeguards concerning the project.

iv	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environment protection measure shall be kept in separate account and not be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the SEIAA and concerned RO, MoEF&CC with the six-monthly compliance report.	Agreed & Complying: So far around 270 lakhs have been spent for the implementation of EMP.
v	Self-environmental audit shall be conducted annually. Every three-year third-party environmental audit shall be carried out.	Noted and agreed for compliance.
vi	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) regarding plants located in, the project site shall be implemented.	Not Applicable As no separate CREP for secondary metallurgical industry has so far been prescribed by CPCB.
<b>X</b>	<b>Miscellaneous</b>	
i	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Complied: Copies of newspaper cutting enclosed herewith as <b>Annexure-V</b> , and the same will be uploaded on the company website.
ii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant	Complied.

	offices of the Government who in turn has to display the same for 30 days from the date of receipt.	
iii	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	Complied.
iv	The project proponent shall monitor the criteria pollutants level namely; PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	Noted & agreed.
v	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Six-monthly compliance report is being uploaded on the website of the Ministry of Environment, Forest and Climate Change on regular basis.
vi	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and agreed.
vii	The project proponent shall inform the Regional Office as well as Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted.

	<p>i) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.</p> <p>ii) The project proponent shall abide by all the commitments and recommendations made in EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.</p>	
viii	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed.
ix	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
x	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xi	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted and agreed.
xii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/monitoring reports. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days.	Agreed for extending the full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/ monitoring reports.



xiii	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 with amendments and any other orders passed by the Hon'ble Supreme Court of India/ High Courts, Hon'ble National Green Tribunal and any other Court of Law relating to the subject Matter.	Complied.
xiv	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under 16 of the National Green Tribunal Act, 2010.	Noted and agreed.

## EC LETTER

**F. No. J-11011/49/2017-IA.II(I)**

Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

Indira Paryavaran Bhawan  
Jor Bagh Road, Aliganj,  
New Delhi - 110003  
E-mail: dirind-moefcc@gov.in  
Tel: 011-24695368  
Dated: 08.04.2019

To,

**M/s Aarti Impex**  
300 Sita Nagar, Near Bus Stand,  
Ludhiana, Punjab-141001.

**Subject: Expansion of Rolling Mill Capacity (23,100 TPA to 2,24,400 TPA) and augmentation of integrated melting (26,400 TPA to 2,31,000 TPA) located at Budhewal road, Tehsil & Dist.-Ludhiana, State-Punjab by M/s Aarti Impex- Environmental Clearance regarding.**

Sir,

This is reference to your online application vide proposal no. IA/PB/IND/62247/2017 dated 15<sup>th</sup> September 2018 along with copies of EIA/EMP report seeking environmental clearance under the provisions of the EIA Notification, 2006 for the project mentioned above. The proposed project activity is listed at Sl. No. 3(a) Metallurgical Industries (Ferrous and Non-ferrous) under Category "A" EIA Notification, 2006 and the proposal is appraised at Central level.

2. The application of M/s Aarti Impex located in Village Budhewal, Tehsil Ludhiana East, District Ludhiana; State Punjab was initially received in the Ministry on 3rd February 2017 for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during its 16th the meeting held on 6th-7th March 2017 and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on 27th March 2017 vide F.No. J-11011/49/2017-IA-II(I).
3. The project of M/s Aarti Impex located in Budhewal Village, Ludhiana East Tehsil, Ludhiana District, Punjab State is for Expansion of total production capacity from 21,000 MTPA to 2,24,400 MTPA of rolled products and augmentation of integrating melting from 26,400 MTPA to 2,31,000 MTPA. The proposed capacity for the products is given below:

Name of unit	No. of units	Capacity of each unit	Production capacity
Induction Furnace (melting capacity)	2	50 MT/heat (Combined)	700 TPD
Rolled products	1	--	680 TPD

4. The total land required for the project is 3.931 ha. No forest land involved. The entire land has been acquired for the project. It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
5. The topography of the area is flat and reported to lies between 30053'22.30"to 30053'25.86" N Latitude and 75059'22.10"to 75059'38.55"E Longitude in Survey of India Toposheet No. 44N13, at an elevation of 254 m AMSL. The ground water table reported to ranges between 2.89 to 27.30 meter below the land surface during the post-monsoon season and 4.32 to 31.22 meter below the land surface during the pre-monsoon season.
6. No National Park/Wildlife Sanctuary/Biosphere Reserve/ Tiger Reserve/Elephant Reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna. No Schedule-I species is found in the 10 km radius of the project site.
7. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.
8. The targeted production capacity of the MS rolled product is 680 TPA. MS scrap, MS Billets will be used as basic raw material to manufacture rods and wire rods. Raw materials will be purchased from market and transported to site through trucks.
9. The total fresh water requirement of the project is estimated as 150 m<sup>3</sup>/day, which will be sourced from the Borewell. The application for permission for drawl of groundwater has been submitted vide application no. 21-4/3993/PB/IND/2017.
10. The power requirement of the project is estimated to be 27680 KW; the permission has been obtained from the Punjab State Power Corporation Limited.
11. Baseline Environmental Studies were conducted during Pre-Monsoon season i.e. from March to May, 2017. Ambient air quality monitoring has been carried out at 8 locations during 8th March to 5th June 2017 and the data submitted indicated: PM10 (45.01 µg/m<sup>3</sup> to 77.39 µg/m<sup>3</sup>), PM2.5 (28.37 to 56.59 µg/m<sup>3</sup>), SO<sub>2</sub> (5.5 to 25.88 µg/m<sup>3</sup>) and NO<sub>x</sub> (9 to 33.94 µg/m<sup>3</sup>). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is 1.72 µg/m<sup>3</sup> with respect to the PM10.
12. Ground water quality has been monitored in 5 locations in the study area and analyzed. pH: 7.22 to 7.72, Total Hardness: 236 to 256 mg/l, Chlorides: 6.87 to 15.39 mg/l, Fluoride: 1.12 to 1.18 mg/l. Heavy metals are within the limits. Surface water samples were analyzed from 2 locations. pH: 7.85 to 8.04; DO: 4.7 to 5.5 mg/l and BOD: 1 mg/l. COD 4 mg/l.
13. Noise levels are in the range of 48.51 to 62.29 dB(A) for day time and 39.44 to 52.28 dB(A) for night time.

14. No R&R is involved. It has been envisaged that no families to be rehabilitated.
15. It has been reported that a total of 47 MTPD of Slag, 15 MTPD of Mill Scale and 2 MTPD of APCD waste will be generated due to the project, out of which mill scale waste will be sold to the market and slag and APCD waste will be send to TSDF site for proper disposal. It has been envisaged that an area of 1.29 ha. will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.
16. It has been reported that the Consent to Operate from the Punjab Pollution Control Board was obtained vide Certificate No. CTO/Renewal/LDH1/2018/7051511 dated 28/05/2018 and consent is valid up to 27/11/2018.
17. The Public hearing of the project was held on 29.12.2017 at village Budhewal under the chairmanship of Additional Deputy Commissioner (Gen.), Jagraon, District. Ludhiana for production of 680 MTPA of MS rolled products (round, square, hexagonal sections etc). The issues raised during public hearing are employment, pollution control and traffic. An amount of 45.13 Lakhs (1% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.
18. The capital cost of the project is Rs. 4513 Lakh Crores and the capital cost for environmental protection measures is proposed as Rs. 300 Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs 330 Lakhs. The detailed CSR plan has been provided in the EIA report in its page No. 150 in chapter 8. The employment generation from the proposed project / expansion is 250.
19. Greenbelt will be developed in 1.29 Ha which is about 33% of the total acquired area. A 40m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of 3225 saplings will be planted and nurtured in 1.29 hectares in 5 years.
20. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.
21. EIA Consultant: Shivalik Solid Waste Management Limited. Certificate No. NABET/EIA/1619/RA 0040

**Observations of the Committee:**

22. The project proponent has submitted the letter from the Punjab State Pollution Control Board vide letter no. RO/LDH-I/3926, dated 30<sup>th</sup> October, 2018 certifying that the proposed project is outside the critically polluted area. The committee observed issues related to employment to local people; use of fresh water for green belt; need for collection of storm water; planting of local species; no clarity in use of re-heating furnace, etc. The PP has submitted undertaking on these issues during the course of the meeting.

**Recommendations of the Committee:**

23. The proposal was placed before the 1<sup>st</sup> REAC meeting held during 26<sup>th</sup> -28<sup>th</sup> November 2018. After details deliberations, the committee recommended for environmental clearance for the proposed expansion in total production capacity and augmentation of integrated melting and rolling facility under the provisions of EIA Notification, 2006 subject to following specific and general conditions.
24. The Ministry of Environment, Forest and Climate Change has considered the application based on the recommendations of the Expert Appraisal Committee (Industry-I) and hereby decided to grant Environmental Clearance for the proposal **Expansion of Total Production Capacity and augmentation of integrated melting and rolling facility located at Budhewal road, Tehsil & Dist.-Ludhiana, State-Punjab by M/s Aarti Impex** under the provision of EIA Notification dated 14<sup>th</sup> September, 2006, as amended, subject to strict compliance of the following Specific and General conditions:

**A. Specific Conditions:**

- I. The PP should lay down the Environmental Policy which is approved by Boarder of Directors /Managing Partners. The Environment Policy should prescribe for standard operating process/procedures to bring into focus any infringement/deviation/violation of environmental/forest norms/conditions.
- II. The PP shall provide employment to 150 local people as per the commitments of PH.
- III. No waste water shall be discharged out side the premises
- IV. The storm water from the surround premises shall be collected and utilized as a part of rain water.
- V. No Re-heating furnace shall be used.

**B. General Conditions:**

**I. Statutory compliance:**

- i. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board.
- ii. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- iii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

## **II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout manual Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- iv. The project proponent shall submit monthly summary report of continuous stack emission alongwith results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- ix. The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- x. The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.
- xi. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.
- xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

### **III. Water quality monitoring and preservation**

- i. The project proponent shall install 24x7 effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.
- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. The project proponent shall make efforts to minimise water consumption in the IF plant complex by segregation of used water, practicing cascade use and by recycling treated water.

### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- i. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it in atleast two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.



- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their

Page 18

amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

This issues with the approval of Competent Authority.



**(A.K.Agrawal)**  
**Director**

**Copy to:**

1. The Secretary, Department of Environment, Government of Punjab, Secretariat Chandigarh.
2. The Additional Principal Chief Conservator of Forests(C), Ministry of Environment & Forests, Regional Office (NZ), Bays No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160 030.
3. The Member Secretary, Central Ground Water Authority, A-2, W3, Curzon Road Barracks, K.G. Marg, New Delhi-110001.
4. The Chairman, Punjab Pollution Control Board, VataVaran Bhawan, Nabha Road, Patiala, Punjab-147 001.
5. The District Collector, Ludhiana District, Punjab.
6. Guard File/Record File/Monitoring File.
7. MoEF&CC Website.



**(A.K.Agrawal)**  
**Director**

## EC TRANSFER

**IA-J-11011/49/2017-IA-II(I)**

Government of India  
Ministry of Environment, Forest and Climate Change  
(I.A. Division)

Indira Paryavaran Bhawan  
Jor Bagh Road, Aliganj,  
New Delhi - 110003  
E-mail: dirind-moefcc@gov.in  
Tel: 011-24695368  
Dated: 17.10.2019

To

**M/s Vital Steel Bars LLP,**  
Village Budhewal, Chandigarh Road,  
Ludhiana- 141112  
Punjab.

**Subject: - Expansion of Rolling Mill Capacity (23,100 TPA to 2,24,400 TPA) and augmentation of integrated melting (26,400 TPA to 2,31,000 TPA) located at Budhewal road, Tehsil & Dist.- Ludhiana, State Punjab by M/s Aarti Impex – transfer of Environmental Clearance to M/s Vital Steel Bars LLP regarding.**

Sir,

This has reference to your online application for transfer of environmental clearance of the project mentioned in the subject vide proposal No. IA/PB/IND/103601/2019 dated 26<sup>th</sup> April 2019.

2. M/s Aarti Impex, was accorded Environment Clearance for steel plant vide letter F.No. 11011/49/2017-IA-II(I) dated 8<sup>th</sup> April, 2019 for Expansion of Rolling Mill Capacity (23,100 TPA to 2,24,400 TPA) and augmentation of integrated melting (26,400 TPA to 2,31,000 TPA) located at Budhewal road, Tehsil & Dist. Ludhiana, State Punjab.
3. The project was sold to M/s Vital Steel Bars LLP by business transfer agreement on 23.07.2018.
4. M/s Aarti Impex, transferred all its assets/premises/approvals to M/s Vital Steel Bars LLP for manufacturing of mild steel products. No Objection was submitted by M/s Aarti Impex vide letter even no. dated 10.04.2019 to transfer Environmental Clearance.
5. M/s Vital Steel Bars LLP submitted Undertaking certificate and agreed to comply the conditions stipulated in the Environmental Clearance.

6. Certificate of Incorporation of M/s Vital Steel Bars LLP issued by Registrar, Chandigarh, Ministry of Corporate Affairs on 11.07.2017.
7. After taking the aforesaid facts into consideration, it is noted that the project mentioned in the subject was purchased by M/s Vital Steel Bars LLP and consequently, ownership on the project was changed. Therefore, considering the request of M/s Vital Steel Bars LLP, the Ministry hereby has decided to transfer the aforesaid Environmental Clearance issued to M/s Aarti Impex, under the provisions of para 11 of EIA Notification, 2006.
8. It is requested to obtain 'consent' from the concerned State Pollution Control Board in the name of M/s Vital Steel Bars LLP
9. In case, there is a change in the scope of the project, fresh Environmental Clearance shall be obtained under the provisions of EIA Notification 2006.
10. All other terms and conditions in the Environmental Clearance issued vide letter dated 08.04.2019 shall remain unchanged.

This issues with the approval of the Competent Authority.



  
**(A.K.Agrawal)**  
Director

**Copy to:**

- 1). The Secretary, Science, Technology and Environment Department, Government of Punjab, Punjab Civil Secretariat, Chandigarh.
- 2). The Additional Principal Conservator of Forests (C), Ministry of Environment & Forests, Regional Office (NZ), Bays No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160 030.
- 3). The Chief Wildlife Warden, Govt. of Punjab, Tower No. 2 IInd Floor, Forest Complex Sec-68, Mohali-160068.
- 4). The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office complex, East Arjun Nagar, New Delhi-1100032.
- 5). The Member Secretary, Central Ground Water Authority, A-2, W3, Curzon Road Barracks, K.G. Marg, New Delhi-110001.
- 6). The Chairman, Punjab Pollution Control Board, VataVaran Bhawan, Nabha Road, Patiala, Punjab-147 001.
- 7). The District Collector, Ludhiana District, Punjab.
- 8). Guard File//Record File/Monitoring File
- 9). MoEF&CC website.

  
**(A.K.Agrawal)**  
Director

## CTO-AIR

	<b>PUNJAB POLLUTION CONTROL BOARD</b> Zonal Office-1, E-648-B, Focal Point, Phase-5, Ludhiana Website:- www.ppcb.gov.in	
Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID: 019LDH1436356		Application No : 23134582
To,		
Aseem Aggarwal Village Budhewal, Chandigarh Road Ludhiana, Ludhiana-141112		
Subject: Renewal of consent to operate granted under the Air (Prevention & Control of Pollution) Act, 1981.		
1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry		
Consent to Operate Certificate No.	CTOA/Renewal/LDH1/2023/23134582	
Date of issue :	08/09/2023	
Date of expiry :	07/09/2024	
Certificate Type :	Renewal	
Previous CTO No. & Validity :	CTOA/Varied/LDH1/2022/18142309 From:12/08/2022 To:11/08/2023	
2. Particulars of the Industry		
Name & Designation of the Applicant	Aseem Aggarwal, (Designated Partner)	
Address of Industrial premises	Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I-141112	
Capital Investment of the Industry	8509.96 lakhs	
Category of Industry	Orange	
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace	
Scale of the Industry	Large	
Office District	Ludhiana I	
<small>"This is computer generated document from OCMMS by PPCB" Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112 Page 1</small>		

**SPECIAL CONDITIONS:-**

1. The industry shall submit within 3 months revised EC under EIA notification by including the land area acquired recently.

All the other contents and conditions of consent will remain same as mentioned in consent no. CTOA/Varied/LDH1/2022/18142309 dated 12.08.2022 valid upto 11.08.2023 granted under the Air (Prevention & Control of Pollution) Act, 1981.



08/09/2023

**(Pardeep Balu)**  
**Environmental Engineer**

*For & on behalf*

*of*

**(Punjab Pollution Control Board)**

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.



08/09/2023

**(Pardeep Balu)**  
**Environmental Engineer**

*For & on behalf*

*of*

**(Punjab Pollution Control Board)**

*"This is computer generated document from OCMBMS by PPCB"*

*Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana 1, 141112*

*Page 2*

## CTO-WATER



### PUNJAB POLLUTION CONTROL BOARD

Zonal Office-I, E-648-B, Focal Point, Phase-5, Ludhiana

Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID: 019LDH1436356		Application No : 18240343

To,  
**Sanjeev Aggarwal**  
 Village Budhewal, Chandigarh Road  
 Ludhiana, Ludhiana-141112

Subject: Grant Varied 'Consent to Operate' an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining Varied 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate

#### 1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Varied/LDH1/2022/18240343
Date of issue :	23/06/2022
Date of expiry :	31/03/2027
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOW/Varied/LDH1/2019/11392084 From: 25/10/2019 To: 30/06/2022

#### 2. Particulars of the Industry

Name & Designation of the Applicant	Sanjeev Aggarwal, (Partner)
Address of Industrial premises	Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana F-141112
Capital Investment of the Industry	8125.14 lakhs
Category of Industry	Orange
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace
Scale of the Industry	Small
Office District	Ludhiana I
Consent Fee Details	Rs. 57600/- vide UTR no. HDFCR52022011289749836 dated 12.01.2022 As NOC regularization fee. Rs. 432000/- vide UTR no. HDFCR52022011289749836 dated 12.01.2022 under Water Act, 1974
Raw Materials(Name with quantity per day)	Melting Scrap, Sponge Iron & Ferro Alloys @ 770 Metric Tonnes/Day

*"This is computer generated document from OC/MMS by PPCB"*

*Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112*

*Page I*


Products (Name with quantity per day)	<i>Rolled Products (Round, Square, Hexagonal Sections etc. @ 750 Metric Tonnes/Day)</i>
By-Products, if any,(Name with quantity per day)	<i>Nil</i>
Details of the machinery and processes	<i>As per application form</i>
Details of the Effluent Treatment Plant	<i>No generation of any trade effluent, hence ETP not required.</i>
Mode of Disposal	<i>Domestic effluent @ 6 KLD - Onto land for plantation after septic tank.</i>
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	<i>As prescribed by the Board/MoEF &amp; CC, New Delhi</i>



23/06/2022

**(Ravinder Bhatti)**  
Environmental Engineer  
*For & on behalf*

*of*  
**(Punjab Pollution Control Board)**



Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:  
Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.



23/06/2022

**(Ravinder Bhatti)**  
Environmental Engineer  
*For & on behalf*

*of*  
**(Punjab Pollution Control Board)**



*"This is computer generated document from OCMS by PPCB"*

*Vital Steel Bars Llp, Village Budhewal, Chandigarh Road, Ludhiana East, Ludhiana 1, 141112*

*Page 2*



## AUTHORIZATION OF HWM

	<b>PUNJAB POLLUTION CONTROL BOARD</b> Zonal Office-1, E-648-B, Focal Point, Phase-5, Ludhiana Website:- www.ppcb.gov.in		 <b>LiFE</b> Lifestyle for Environment
	Office Dispatch No :	Registered/Speed Post	
Industry Registration ID :	019LDH1436356	Application No :	23703014
To,	<b>ASEEM AGGARWAL</b> Village Budhewal, Chandigarh Road Ludhiana, Ludhiana-141112		
Subject:	Renewal of Authorization for operating a facility for 'Generation, Storage, Disposal,' of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .		
	ASEEM AGGARWAL of Vital steel bars llp is hereby granted an authorisation based on the enclosed signed inspection report for Generation, Storage, Disposal, on the premises situated at Village budhewal, chandigarh road,, Ludhiana east, Ludhiana i-141112		
<b>1. Particulars of Authorization granted to the Industry</b>			
Authorization No	HWM/renew/LDHI/2023/23703014		
Previous Authorization No	HWM/renew/LDHI/2022/19436859		
Date of issue :	29/09/2023		
Date of expiry :	28/09/2024		
Previous Authorization Date of Issue :	04/10/2022		
Previous Authorization Date of Expiry :	03/10/2023		
Authorization Type :	renew		
<b>2. Particulars of the Industry</b>			
Name & Designation of the Applicant	Aseem Aggarwal, (Designated Partner)		
Address of Industrial premises	Vital steel bars llp, Village budhewal, chandigarh road,, Ludhiana east, Ludhiana i-141112		
Capital Investment of the Industry	3309.96 lakhs		
Category of Industry	Orange		
Type of Industry	2063-Steel and steel products using various furnaces like blast furnace /open hearth furnace/induction furnace/arc furnace/submerged arc furnace /basic oxygen furnace /hot rolling reheated furnace		
Scale of the Industry	Large		
Office District	Ludhiana i		
<p style="text-align: center;"><i>"This is computer generated document from OCMS by PPCB"</i></p> <p style="text-align: center;"><i>Vital steel bars llp, Village budhewal, chandigarh road, Ludhiana east, Ludhiana i, 141112</i></p> <p style="text-align: right;"><i>Page1</i></p>			

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Generation , Storage , Disposal	700 T/Annum
Schedule I 5.1-Used or spent oil	Generation , Storage , Disposal	0.050 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.




  
 29/09/2023  
 (Pardeep Balu)  
 Environmental Engineer  
 For & on behalf  
 of  
 (Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:  
 The Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.

  
 29/09/2023  
 (Pardeep Balu)  
 Environmental Engineer  
 For & on behalf  
 of  
 (Punjab Pollution Control Board)

## NEWSPAPER ADVERTISEMENT-ENGLISH

# Classifieds

## CHANGE OF NAME

I, Mandeep Kaur Brar D/o Narinder Singh R/o # 16, First Floor, HIG Flats, SST Nagar, VTC Patiala, Patiala changed my name to Mandeep Kaur.

I, Jasima W/o Lalit Mohan Chhabra R/o 71 Sant Enclave, Bir Khari Gujran, Patiala changed my name to Jasima Chhabra.

I, Manjit Kaur Gill W/o Sukbdev Singh Gill, VPO Charik, (Moga) declare that Manjit Kaur Gill & Manjeet Kaur Gill both names are mine/true.

I, Mandeep Kaur Brar D/o Narinder Singh R/o # 16, First Floor, HIG Flats, SST Nagar, VTC Patiala, Patiala changed my name to Mandeep Kaur.

I, Jasima W/o Lalit Mohan Chhabra R/o 71 Sant Enclave, Bir Khari Gujran, Patiala changed my name to Jasima Chhabra.

I, Rajvinder Kaur W/o Lakhvir Singh R/o Ladhai Ke (MOGA) Have Changed My Name to Rajvinder Kaur.

I, Amrit Kaur Sidhu W/O Ramanjit Singh R/O Mari Mustafa (Moga) Have Changed My Name To Kaur Amrit.

I Sourav Kochhar S/o kewal krishan, resi of H.no 491/9, gali mochiya wali, choura bazar, Amritsar, 143001 have change my name from Sourav Kochhar to Sourav kochar all kindly note.

I, Tilak Rans/o Phadkar Dass R/o 112, Vasant colony, Bathinda, have changed my name to Tilak Kaur.

I Shiyah W/o Rahul Vardi Arid D/o Kulwinder Kumar R/o House No: 1661 Street No 16 Jhanspura Ludhiana Punjab Have Changed My Name After Marriage to Shivani Vardi.

I, Santhosh M.V. Army No 15310756 P/HAW, 17 Engineer Regiment R/o Vallikalayil House, Karakkadu, Karakkadu, Kidanganoor Village, Kozhichenery Taluk, Pathanamthitta Dist, Kerala have my daughter name is wrong. Sandhya Anna Santhosh army service record but correct name is Sandha Santhosh.

I, Santhosh M.V. Army No. 15310756 P/HAW, 17 Engineer Regiment R/o Vallikalayil House, Karak P.O. Karakkadu, Kidanganoor Village, Kozhichenery Taluk, Pathanamthitta Dist, Kerala have date of birth of my wife incorrect 10-06-1978 in army record. But correct date of birth is 10-05-1978.

## PUBLIC NOTICE

ਮੈਂ ਇਹ ਸਮਝਾਉਂਦੀ ਹਾਂ ਕਿ ਮੈਂ ਨੇ ਮੇਰੇ ਪਿਤਾ ਜੀ ਦੇ ਨਾਮ ਨੂੰ ਚੰਗੇ ਤਰ੍ਹਾਂ ਲਿਖਣ ਲਈ ਮੇਰੇ ਨਾਮ ਨੂੰ ਸੋਧਿਆ ਹੈ। ਮੇਰਾ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ।

ਮੈਂ ਇਹ ਸਮਝਾਉਂਦੀ ਹਾਂ ਕਿ ਮੈਂ ਨੇ ਮੇਰੇ ਪਿਤਾ ਜੀ ਦੇ ਨਾਮ ਨੂੰ ਚੰਗੇ ਤਰ੍ਹਾਂ ਲਿਖਣ ਲਈ ਮੇਰੇ ਨਾਮ ਨੂੰ ਸੋਧਿਆ ਹੈ। ਮੇਰਾ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ।

ਮੈਂ ਇਹ ਸਮਝਾਉਂਦੀ ਹਾਂ ਕਿ ਮੈਂ ਨੇ ਮੇਰੇ ਪਿਤਾ ਜੀ ਦੇ ਨਾਮ ਨੂੰ ਚੰਗੇ ਤਰ੍ਹਾਂ ਲਿਖਣ ਲਈ ਮੇਰੇ ਨਾਮ ਨੂੰ ਸੋਧਿਆ ਹੈ। ਮੇਰਾ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ। ਮੇਰੇ ਪਿਤਾ ਜੀ ਦਾ ਨਾਮ ਸ਼ਿਵਾਨੀ ਵਰਦੀ ਹੈ।

## PUBLIC NOTICE

**VITAL STEEL BARS LLP** states that the LLP has been given Environmental clearance on dated 11.10.2019, by ministry of environment, forest, and climate change, by way of transfer of environmental clearance, originally given by above ministry to Aarti Impex on dated 08.01.2019, "T. No. L-11011/19-2017-LA/HE".

## DISCLAIMER

**BRIGHT PUNJAB EXPRESS** does not endorse any third party products, merchandise and/or services, nor has **BRIGHT PUNJAB EXPRESS** taken any steps to confirm the accuracy or reliability of, any of the information contained in any third party advertisements. **BRIGHT PUNJAB EXPRESS** strongly encourages readers to conduct whatever investigation they feel necessary or appropriate before proceeding with any transaction with any of these advertisers.

2 ਰੋਜ਼ਾਨਾ ਸਪੇਕਸਮੈਨ

ਰੋਜ਼ਾਨਾ ਸਪੇਕਸਮੈਨ  
**ਕੋਲਾਸੀਫਾਈਡ**  
CLASSIFIED

**ਗਰੇਟਰ ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ**  
ਪਤਾ: ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ



ਪਿੰਡ: ਮੁਹਾਲੀ, ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

**ਨਾਮ ਬਦਲੀ**  
ਮੈਂ ਲਵਜੀਤ ਸਿੰਘ ਪਿੰਡ ਗੁਰਮੁਖ ਸਿੰਘ ਵਾਸੀ ਸ਼ਿਵਦਾਲ ਜਿਲਾ ਬਰਨਾਲਾ ਨੇ ਆਪਣਾ ਨਾਮ ਬਦਲ ਕੇ ਨਵਜੀਤ ਸਿੰਘ ਸ਼ਰਾ ਠੰਢ ਲਿਆ ਹੈ ਸਬੰਧਤ ਨੋਟ ਕਰਨ।

I Navjeet Singh S/o Jasjit Singh Sandhu R/o Village Dhiromajra, Tehsil Malerkotla, District Sangrur, Punjab have changed my name from Navjeet Singh to Sukhjeet Singh Sandhu.

**PUBLIC NOTICE**  
VITAL STEEL BARS LLP states that the LLP has been given Environmental clearance on dated 14.07.2019 by Ministry of Environment, Forest and Climate Change, by way of transfer of environmental clearance, originally given by govt. ministry to Aardhya on dated 06.04.2019, to No.110117/49/2017 (A.II/31).

**ਪੰਜਾਬ ਸੂਬੇ ਪੌਦੇ**  
RPSO ਨੇ ਡਿਪੋਜਟ ਕਰਨ ਦੇ 54 ਠੰਢ ਸੂਬੇ ਪੌਦੇ ਵੱਲੋਂ ਸਟੋਰੇਜ਼ ਵਿੱਚ ਰੱਖੇ ਗਏ ਹਨ। ਇਹ ਪੌਦੇ 12/11/2019 (CPOB) ਅਤੇ 12/11/2019 (CPOB) ਦੇ ਨਾਂ ਨਾਲ ਸਟੋਰੇਜ਼ ਵਿੱਚ ਹਨ। ਇਹ ਪੌਦੇ 19.02.2020 ਤੋਂ 15.05.2020 ਤੱਕ ਸਟੋਰੇਜ਼ ਵਿੱਚ ਰੱਖੇ ਗਏ ਹਨ। ਇਹ ਪੌਦੇ 15.05.2020 ਤੋਂ 15.05.2020 ਤੱਕ ਸਟੋਰੇਜ਼ ਵਿੱਚ ਰੱਖੇ ਗਏ ਹਨ।

**ਬੇਦਖਲੀ**

ਮੈਂ ਦਰਸ਼ਨ ਸਿੰਘ ਪੁੱਤਰ ਰਾਮ ਸਿੰਘ ਪਿੰਡ ਚਿਮਰਪੁਰ ਜਿਲਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ ਆਪਣੀ ਨੌਕਰੀ ਮਨਮੋਹ ਕੌਰ ਕੁੜੇ ਸਦਾਈ ਦੀਵਾਰ ਸਿੰਘ ਨੇ ਕਿ ਮਰ ਕਹਿਣ ਤੇ ਭਾਗ ਕਰਨ ਨੂੰ ਮੈਂ ਆਪਣੀ ਵੱਲ ਅਹੱਲ ਜਾਇਦਾਦ ਤੋਂ ਸਦਖਲ ਕਰਦਾ ਹਾਂ। ਉਨ੍ਹਾਂ ਨਾਲ ਨੋਟ ਦਾ ਕਰਨ ਵਾਲਾ ਖੁਚ ਸਿਮਵਾਰ ਹੋਵੇਗਾ।

**ਇਮਤਿਹਾਰ ਸਬੰਧੀ ਸੂਚਨਾ**

'ਰੋਜ਼ਾਨਾ ਸਪੇਕਸਮੈਨ' ਦੀ ਮੈਨੇਜਿੰਗ ਵਿਸ਼ੇਸ਼ਕਾਰ ਵਿੱਚ ਡਾ. ਇਮਤਿਹਾਰ (ਡਿਸਪਲੇ/ ਕਲਾਸੀਫਾਈਡ) ਦੇ ਕੁੱਝ ਨਵੀਂ ਉਮੀਦਵਾਰੀ ਨਹੀਂ ਕੀਤਾ। ਸਭਾ ਅਧਿਕਾਰ ਤਿੰਨਾਂ ਨੂੰ ਵਸਦੀ ਨਹੀਂ ਕਰਦਾ। ਪਾਠਕਾਂ ਨੂੰ ਬਣਨੀ ਹੈ ਕਿ ਉਹ ਤਿੰਨਾਂ ਇਮਤਿਹਾਰ 'ਤੇ ਕਾਰਵਾਈ ਕਰਨ ਤੋਂ ਪਹਿਲਾਂ ਕੀ ਕੀ ਪੁਸ਼ਟੀ ਕਰ ਲੈਣ।

**punjab national bank**  
ਪੰਜਾਬ ਨੈਸ਼ਨਲ ਬੈਂਕ  
ਕੋਰੀਜ਼ਿਡਮ  
ਮਿਤੀ 11-1-2020 ਨੂੰ ਪੁਰਾਣੇ ਗੈਰ ਕਰਦਾ ਕੋਰਿਡਿਜ਼ ਵਿੱਚ ਸੂਚੀ ਨੰ. 11 ਵਿੱਚ ਕਰਦਾਰ ਨੂੰ ਕਾਰਵਾਈ ਸਿੱਧ ਪੁੱਛ ਮਹਿਲ ਸਿੰਘ ਅਤੇ ਕੋਰਿਡਿਜ਼ ਸੂਚੀ ਸਾਹਿਬ ਸਿੰਘ ਕੋਰਿਡਿਜ਼ ਸਿੰਘ ਨਾਲ ਅੰਦਰ ਬੈਂਕ ਵਾਲੇ ਕਲਾਸੀਫਾਈਡ ਪੁਰਾਣੇ ਕੋਰਿਡਿਜ਼ ਦੇ ਵਿਸ਼ੇਸ਼ਕਾਰ ਕਰਕੇ ਇਸ ਨੂੰ ਕਲਾਸੀਫਾਈਡ ਕੀਤਾ ਜਾਵੇਗਾ।  
ਅਧਿਕਾਰਤ ਅਧਿਕਾਰ

**ਮਸਾਜ ਸੈਂਟਰ**

ਗਰੇਟਰ ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ (ਡੀਡੀ), ਲੁਧਿਆਣਾ

ਮਸਾਜ ਸੈਂਟਰ

ਮਸਾਜ ਸੈਂਟਰ, ਗਰੇਟਰ ਮੁਹਾਲੀ ਏਰੀਆ ਡਿਵੈਲਪਮੈਂਟ ਅਥਾਰਟੀ, ਡਾ. ਸਿੰਘ ੧੨, ਐਮ. ਐੱਸ. ਨਗਰ, ਲੁਧਿਆਣਾ।  
ਸੰਪਰਕ: ੯੮੭੬੫੪੩੨੧੦

**GOVT. MEDICAL COLLEGE & HOSPITAL**  
Block-D, Level-1, Sector-32-B, Chandigarh-160030  
0172-301123-24 Fax No. 0172-260936  
STATE BRANCH  
**SHORT TERM E-TENDER NOTICE**

The tender (Online Tender) are invited for (working Category) in GMCH-32, Chandigarh:-

Shop/Trade or No. of the shop	Amount in the shape of FDR	Last date & time for depositing EMD in physical shape	Last date & time for uploading e-tenders	Date and time for opening of tender in room no.301, Estate Branch, Level-II, Block-D, GMCH, Chd
As mentioned Category Block-E	Rs.1,25,000	14-2-2020 upto 10:00	15-2-2020 upto 5:00 pm noon	14-2-2020 at 11:00 am

Note: For more details please see Tender Document which should be downloaded from the Website of GMCH <http://www.gmch.gov.in>.

Director Principal


SITE PHOTOGRAPHS



## CONTINUOUS AIR MONITORING SYSTEM AND APCD



PLANTATION PHOTOGRAPHS



**GREENBELT DEVELOPED IN THE ADJOINING LAND**







CSR ACTIVITIES

# ਦਾਨੀ ਸਜ਼ਨ ਦੁਆਰਾ ਬੁਡੇਵਾਲ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਕੋ ਸਾਊਂਡ ਸਿਸਟਮ ਮੈਂਟ



ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਮੇਂ ਕਰਵਾਏ ਸਮਾਗਮ ਕੇ ਦੌਰਾਨ ਵਿਧਾਇਕੀਓਂ ਕੋ ਸਮਮਾਨਿਤ ਕਰਤੇ ਹੁਏ ਗਯਮਾਨਯ।

ਕੋਠਾਝ, 23 ਨਵੰਬਰ (ਸ਼ਾਮ ਵੱਦ) : ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਮੇਂ ਸਕੂਲ ਪ੍ਰਮੁਖ ਮੈਡਮ ਜੋਤਿ ਅਰੋੜਾ ਕੀ ਅਗਵਾਈ ਮੇਂ ਕਰਵਾਏ ਗਏ ਸਮਾਗਮ ਕੇ ਦੌਰਾਨ ਸਕੂਲ ਕੇ ਵਿਧਾਇਕੀਓਂ ਦੁਆਰਾ ਤੈਯਾਰ ਕ੍ਰਿਯਾ ਗਯਾ ਮੈਗਜ਼ੀਨ ਜਾਰੀ ਕ੍ਰਿਯਾ ਗਯਾ। ਫ਼ਿਸ ਅਖ਼ਬਾਰ ਪਰ ਅਸੀਮ ਅਖ਼ਬਾਰ ਨੇ ਸਕੂਲ ਕੀ ਝਲਕਤ ਕੋ ਦੇਖੀ ਹੁਏ ਸਾਊਂਡ ਸਿਸਟਮ ਮੈਂਟ ਕ੍ਰਿਯਾ। ਤਨਕੇ ਸਾਥ ਕੁਲਦੀਪ ਸਿੰਘ, ਦੀਪਕ ਕੁਮਾਰ, ਸੁਖਵਿੰਦਰ ਸਿੰਘ ਫ਼ਾਇਨਲ ਸਟੀਲ ਬਾਰ (ਏਲਏਲਪੀ), ਰਮਨਦੀਪ ਸਿੰਘ ਰਾਧਾ (ਗੌਡਵਿਨ ਫੈਕਟਰੀ ਬੁਡੇਵਾਲ) ਭੀ ਕ੍ਰਿਯੋਧ ਰੋਰ ਪਰ ਤਪਸ਼ਿਖਤ ਥੇ। ਕੁਲਦੀਪ ਸਿੰਘ ਚੇਯਮੈਨ ਕਲਕੀਰ ਸਿੰਘ ਬੁਡੇਵਾਲ ਨੇ ਸਕੂਲ ਕੀ ਬੇਹਤਰੀ ਕੇ ਲਿਯ ਹੁਸਸਮਯ ਸਹਾਯਤਾ ਦੇਨੇ ਕਾ ਆਖ਼ਵਾਸਨ ਦਿਯਾ।

# ਸਕੂਲ 'ਚ ਬਾਲ ਦਿਵਸ ਮੇਲਾ ਕਰਵਾਇਆ

ਜੀਵਨ ਰੁਮਾਰ, ਭੁਠਾੜਾ/ਕਟਾਈ ਕਲਾ/ਲੁਧਿਆਣਾ



ਸਿਖਿਆ ਵਿਭਾਗ ਦੀਆਂ ਹਦਾਇਤਾਂ ਅਤੇ ਜ਼ਿਲ੍ਹਾ ਸਿਖਿਆ ਅਫਸਰ ਐਲੀਮੈਂਟਰੀ ਜ਼ਮੀਨਦਾਰ ਕੋਰ ਦੇ ਇਲਾ ਨਿਰਦੇਸ਼ਾਂ ਅਨੁਸਾਰ ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਲੁਧਿਆਣਾ ਵਿਖੇ ਸਕੂਲ ਮੁਖੀ ਜੋਤੀ ਅਰੋੜਾ ਦੀ ਅਗਵਾਈ 'ਚ ਬਾਲ ਦਿਵਸ ਮੇਲਾ ਲਗਾਇਆ ਗਿਆ। ਨਵੇਂ ਸੈਸ਼ਨ ਦੇ ਦਾਖਲੇ ਦਾ ਰਸਮੀ ਤੌਰ 'ਤੇ ਆਗਾਜ਼ ਕੀਤਾ ਗਿਆ ਅਤੇ ਸਕੂਲ ਦਾ ਮੋਗਜ਼ੀਨ ਰਿਲੀਜ਼ ਕੀਤਾ ਗਿਆ। ਵਿਦਿਆਰਥੀਆਂ ਵੱਲੋਂ ਵੱਖ-ਵੱਖ ਕੇ ਮੁਕਾਬਲਿਆਂ 'ਚ ਭਾਗ ਲਿਆ ਗਿਆ ਅਤੇ ਰੰਗਾਰੰਗ ਪ੍ਰੋਗਰਾਮ ਵੀ ਪੇਸ਼ ਕੀਤਾ ਗਿਆ। ਪ੍ਰਿੰਸੀਪਲ ਬਿੰਦੂ ਸੂਦ, ਚੇਅਰਮੈਨ ਬਲਕੀਰ ਸਿੰਘ, ਸਤਨਾਮ ਸਿੰਘ, ਸਕੂਲ ਮੈਨੇਜਮੈਂਟ ਕਮੇਟੀ ਚੇਅਰਮੈਨ ਸਿਮਰਨਦੀਪ ਕੌਰ, ਰਾਜਵੰਤ ਸਿੰਘ ਪੰਛੀ, ਗਾਇਕ ਜੋਤੀ ਆਤਮਾ ਬੁੱਢੇਵਾਲੀਆ ਅਮਨਰੋਜੀ, ਸੰਵਾਮੁਕਤ ਅਧਿਆਪਕ ਕਰਤਾਰ ਸਿੰਘ, ਸਤਨਾਮ ਸਿੰਘ, ਗਿੱਲ ਦੀਪ ਸਿੰਘ, ਧਰਮਜੀਤ ਸਿੰਘ ਚਿੱਲੋਂ ਜ਼ਿਲ੍ਹਾ ਪ੍ਰਧਾਨ ਲੈਕਚਰਾਰ ਕੇਡਰ ਯੂਨੀਅਨ, ਅਸੀਮ ਅਗਰਵਾਲ, ਰਮਨਦੀਪ ਸਿੰਘ, ਦੀਪਕ ਕੁਮਾਰ, ਸੁਖਵਿੰਦਰ ਸਿੰਘ ਵਾਈਟਲ ਸਟੀਲ ਬਾਰ (ਐਲਏਲਪੀ), ਤਰਨਦੀਪ ਸਿੰਘ ਆਦਿ ਮੌਜੂਦ ਸਨ। ਇਸ ਮੌਕੇ ਸਨਅਤਕਾਰ ਆਸੀਮ ਅਗਰਵਾਲ ਵੱਲੋਂ ਸਕੂਲ ਨੂੰ ਸਾਊਂਡ ਸਿਸਟਮ ਭੇਟ ਕੀਤਾ ਗਿਆ। ਸਕੂਲ ਮੁਖੀ

ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਵਿਖੇ ਹੋਏ ਸਮਾਗਮ 'ਚ ਰਿੱਠਾ ਲੈਣ ਵਾਲੇ ਵਿਦਿਆਰਥੀਆਂ ਨਾਲ ਪ੍ਰਬੰਧਕ ਤੇ ਮਹਿਮਾਨ।

ਸਨਅਤਕਾਰ ਆਸੀਮ ਅਗਰਵਾਲ ਨੇ ਬਾਲ ਦਿਵਸ ਮੌਕੇ ਸਕੂਲ ਨੂੰ ਭੇਟ ਕੀਤਾ ਸਾਊਂਡ ਸਿਸਟਮ

ਜੋਤੀ ਅਰੋੜਾ ਵੱਲੋਂ ਆਏ ਹੋਏ ਮਹਿਮਾਨਾਂ ਨੂੰ ਜੀ ਆਇਆ ਕਹਿਣਿਆ ਗੁਮ ਪੰਚਾਇਤ ਬੁੱਢੇਵਾਲ ਅਤੇ ਐਸਐੱਮਸੀ ਕਮੇਟੀ ਅਤੇ ਬਚਿਆਂ ਦੇ ਮਾਪਿਆਂ ਨੂੰ ਯਕੀਨ ਦਿਵਾਇਆ ਕਿ ਉਹ ਸਕੂਲ ਦੀ ਬਿਹਤਰੀ ਲਈ ਹਰ ਸਮੇਂ ਯਤਨਸ਼ੀਲ ਰਹਿਣਗੇ। ਚੇਅਰਮੈਨ ਬਲਕੀਰ ਸਿੰਘ ਨੇ ਸਕੂਲ ਮੁਖੀ ਦੀ ਸਲਾਘਾ ਕਰਦਿਆਂ ਉਨ੍ਹਾਂ ਨੂੰ ਵਿਸ਼ਵਾਸ ਦਿਵਾਇਆ ਕਿ ਉਹ ਸਕੂਲ ਦੀ ਬਿਹਤਰੀ ਲਈ ਹਮੇਸ਼ਾ ਸਹਿਯੋਗ ਦੇਣਗੇ। ਗਾਇਕ ਆਤਮਾ ਬੁੱਢੇਵਾਲ ਅਤੇ

ਅਮਨ ਰੋਜੀ ਨੇ ਵੀ ਵਿਦਿਆਰਥੀਆਂ ਨਾਲ ਆਪਣੇ ਵਿਚਾਰ ਸਾਂਝੇ ਕੀਤੇ। ਧਨਾਨੁ ਸਕੂਲ ਪ੍ਰਿੰਸੀਪਲ ਬਿੰਦੂ ਸੂਦ ਨੇ ਸਿਖਿਆ ਵਿਭਾਗ ਦੇ ਇਸ ਉਪਰਾਲੇ ਦੀ ਸਲਾਘਾ ਕੀਤੀ। ਸਕੂਲ ਮੁਖੀ ਜੋਤੀ ਅਰੋੜਾ ਅਤੇ ਸਮੂਹ ਸਟਾਫ ਨੂੰ ਸਕੂਲ ਪ੍ਰੋਗਰਾਮ ਕਰਨ ਲਈ ਵਧਾਈ ਦਿੱਤੀ। ਸਕੂਲ ਮੁਖੀ ਅਤੇ ਸਮੂਹ ਸਟਾਫ ਵੱਲੋਂ ਆਏ ਹੋਏ ਮਹਿਮਾਨਾਂ ਨੂੰ ਸਨਮਾਨਿਤ ਕੀਤਾ ਗਿਆ। ਇਸ ਮੌਕੇ ਮਿਡਲ ਸਕੂਲ ਇੰਚਾਰਜ ਨਰਿੰਦਰ ਕੌਰ, ਸੋਨੀਆ ਰਾਣੀ, ਰਾਜਨਦੀਪ ਕੌਰ, ਰਾਜਵਿੰਦਰ ਕੌਰ, ਕਿਰਨਦੀਪ ਕੌਰ, ਰਮਨਦੀਪ ਕੌਰ, ਕਮਲਜੀਤ ਕੌਰ ਤੇ ਮਿਡ ਡੇ ਮੀਲ ਵਰਕਰ ਮਨਜੀਤ ਕੌਰ, ਜਸਵੀਰ ਕੌਰ, ਸਿਮਰਨ ਦੀਪ ਕੌਰ ਆਦਿ ਮੌਜੂਦ ਸਨ।

# ਉਦਯੋਗਪਤੀ ਵੱਲੋਂ ਬਾਲ ਦਿਵਸ ਮੌਕੇ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਨੂੰ ਸਾਊਂਡ ਸਿਸਟਮ ਭੇਂਟ

ਭੁਠਾੜਾ/ ਸਾਹਨੇਵਾਲ, 21 ਨਵੰਬਰ ( ਅਵਤਾਰ ਸਿੰਘ ਭਾਗਪੁਰ ) ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਸਿਖਿਆ ਵਿਭਾਗ ਦੀਆਂ ਹਦਾਇਤਾਂ ਅਨੁਸਾਰ ਅਤੇ ਜ਼ਿਲ੍ਹਾ ਸਿਖਿਆ ਅਫਸਰ ਐਲੀਮੈਂਟਰੀ ਸ਼੍ਰੀਮਤੀ ਜਸਵਿੰਦਰ ਕੌਰ ਜੀ ਦੇ ਇਲਾ ਨਿਰਦੇਸ਼ਾਂ ਹੇਠ ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਬੁਡੇਵਾਲ ਲੁਧਿਆਣਾ ਵਿਖੇ ਸਕੂਲ ਮੁਖੀ ਸ਼੍ਰੀਮਤੀ ਜੋਤੀ ਅਰੋੜਾ ਦੀ ਅਗਵਾਈ ਵਿੱਚ ਬਾਲ ਦਿਵਸ ਮੇਲਾ ਲਗਾਇਆ ਗਿਆ। ਨਵੇਂ ਸੈਸ਼ਨ ਦੇ ਦਾਖਲੇ ਦਾ ਰਸਮੀ ਤੌਰ 'ਤੇ ਆਗਾਜ਼ ਕੀਤਾ ਗਿਆ ਅਤੇ ਸਕੂਲ ਦਾ ਮੋਗਜ਼ੀਨ ਰਿਲੀਜ਼ ਕੀਤਾ ਗਿਆ। ਸਕੂਲ ਦੇ ਵਿਦਿਆਰਥੀਆਂ ਵੱਲੋਂ ਸਰਕਾਰੀ ਹਦਾਇਤਾਂ ਅਨੁਸਾਰ ਮੁਕਾਬਲਿਆਂ ਵਿੱਚ ਭਾਗ ਲਿਆ ਗਿਆ। ਇਸ ਮੌਕੇ ਤੇ ਸਕੂਲ ਦੇ ਵਿਦਿਆਰਥੀਆਂ ਵੱਲੋਂ ਰੰਗਾਰੰਗ ਪ੍ਰੋਗਰਾਮ ਵੀ ਪੇਸ਼ ਕੀਤਾ ਗਿਆ। ਜਿਸ ਨੂੰ ਸਾਊਂਡ ਵੱਲੋਂ ਪੇਸ਼ ਕੀਤਾ ਗਿਆ। ਸਕੂਲ ਪ੍ਰਿੰਸੀਪਲ ਸ਼੍ਰੀਮਤੀ ਬਿੰਦੂ ਸੂਦ, ਚੇਅਰਮੈਨ ਬਲਕੀਰ ਸਿੰਘ, ਬਲਕੀਰ ਸਿੰਘ ਗਿੱਲ, ਸਕੂਲ ਮੈਨੇਜਮੈਂਟ ਕਮੇਟੀ ਚੇਅਰਮੈਨ ਸਿਮਰਨਦੀਪ ਕੌਰ, ਸੰਵਾਮੁਕਤ ਸਿੰਘ ਪੰਛੀ, ਗਾਇਕ ਜੋਤੀ ਆਤਮਾ ਬੁੱਢੇਵਾਲੀਆ ਅਮਨਰੋਜੀ, ਸੰਵਾਮੁਕਤ ਅਧਿਆਪਕ ਕਰਤਾਰ ਸਿੰਘ, ਸਰਦਾਰ ਸਤਨਾਮ ਸਿੰਘ, ਗਿੱਲ ਦੀਪ





ਸਿੰਘ, ਧਰਮਜੀਤ ਸਿੰਘ ਚਿੱਲੋਂ ਜ਼ਿਲ੍ਹਾ ਪ੍ਰਧਾਨ ਲੈਕਚਰਾਰ ਕੇਡਰ ਯੂਨੀਅਨ ਵਿਭੇਸ਼ ਤੌਰ 'ਤੇ ਮੌਜੂਦ ਸਨ। ਇਸ ਮੌਕੇ ਇਲਾਵਾ ਸ਼੍ਰੀ ਅਸੀਮ ਅਗਰਵਾਲ, ਸਕੂਲਦੀਪ ਸਿੰਘ, ਸ਼੍ਰੀ ਦੀਪਕ ਕੁਮਾਰ, ਸੁਖਵਿੰਦਰ ਸਿੰਘ ਵਾਈਟਲ ਸਟੀਲ ਬਾਰ (ਐਲਏਲਪੀ), ਸਤਨਦੀਪ ਸਿੰਘ ਰਾਠਾ, (ਗੌਡਵਿਨ ਫੈਕਟਰੀ ਬੁਡੇਵਾਲ) ਵਿਭੇਸ਼ ਤੌਰ 'ਤੇ ਮੌਜੂਦ ਸਨ। ਸ਼੍ਰੀ ਅਸੀਮ ਅਗਰਵਾਲ ਜੀ ਵੱਲੋਂ ਸਕੂਲ ਨੂੰ ਸਾਊਂਡ ਸਿਸਟਮ ਭੇਟ ਕੀਤਾ ਗਿਆ। ਸਕੂਲ ਮੁਖੀ ਜੋਤੀ ਅਰੋੜਾ ਵੱਲੋਂ ਆਏ ਹੋਏ ਮਹਿਮਾਨਾਂ ਨੂੰ ਜੀ ਆਇਆ ਕਹਿਣਿਆ ਗੁਮ ਪੰਚਾਇਤ ਬੁੱਢੇਵਾਲ ਅਤੇ ਐਸ ਐਮ ਸੀ ਕਮੇਟੀ


ਅਤੇ ਬਚਿਆਂ ਦੇ ਮਾਪਿਆਂ ਨੂੰ ਯਕੀਨ ਦਿਵਾਇਆ ਕਿ ਉਹ ਸਕੂਲ ਦੀ ਬਿਹਤਰੀ ਲਈ ਹਰ ਸਮੇਂ ਯਤਨਸ਼ੀਲ ਰਹਿਣਗੇ। ਚੇਅਰਮੈਨ ਬਲਕੀਰ ਸਿੰਘ ਬੁੱਢੇਵਾਲ ਨੇ ਸਕੂਲ ਮੁਖੀ ਦੀ ਸਲਾਘਾ ਕਰਦਿਆਂ ਉਨ੍ਹਾਂ ਨੂੰ ਵਿਸ਼ਵਾਸ ਦਿਵਾਇਆ ਕਿ ਉਹ ਸਕੂਲ ਦੀ ਬਿਹਤਰੀ ਲਈ ਹਮੇਸ਼ਾ ਸਹਿਯੋਗ ਦੇਣਗੇ। ਗਾਇਕ ਆਤਮਾ ਬੁੱਢੇਵਾਲ ਅਤੇ ਅਮਨ ਰੋਜੀ ਨੇ ਵੀ ਵਿਦਿਆਰਥੀਆਂ ਨਾਲ ਆਪਣੇ ਵਿਚਾਰ ਸਾਂਝੇ

ਕਰਦਿਆਂ ਸਕੂਲ ਵਿੱਚ ਬਿਤਾਏ ਆ ਸਮੇਂ ਨੂੰ ਯਾਦ ਕੀਤਾ ਅਤੇ ਹਰ ਸੱਭਕ ਆ ਦਾ ਭਰੋਸਾ ਦਿੱਤਾ। ਧਨਾਨੁ ਸਕੂਲ ਪ੍ਰਿੰਸੀਪਲ ਸ਼੍ਰੀਮਤੀ ਬਿੰਦੂ ਸੂਦ ਨੇ ਸਿਖਿਆ ਵਿਭਾਗ ਦੇ ਇਸ ਉਪਰਾਲੇ ਦੀ ਸਲਾਘਾ ਕਰਦਿਆਂ ਸਕੂਲ ਮੁਖੀ ਸ਼੍ਰੀਮਤੀ ਜੋਤੀ ਅਰੋੜਾ ਅਤੇ ਸਮੂਹ ਸਟਾਫ ਨੂੰ ਸਾ ਪ੍ਰੋਗਰਾਮ ਕਰਨ ਲਈ ਵਧਾਈ ਦਿੱਤੀ। ਸਕੂਲ ਮੁਖੀ ਅਤੇ ਸਮੂਹ ਸਟਾਫ ਵੱਲੋਂ ਆਏ ਹੋਏ ਮਹਿਮਾਨਾਂ ਨੂੰ ਮਮੋਟ ਅਤੇ ਸਿਰੋਪੇ ਪਾ ਸਨਮਾਨਿਤ ਕੀਤਾ ਗਿਆ। ਵੱਖ-ਵੱਖ ਮੁਕਾਬਲਿਆਂ ਵਿੱਚ ਜੇਤੂ ਵਿਦਿਆਰਥੀ ਨੂੰ ਮੈਡਲ ਦੇ ਕੇ ਉਨ੍ਹਾਂ ਦੀ ਹੌਸਲਾ ਅਫਜ਼ ਕੀਤੀ ਗਈ। ਇਸ ਮੌਕੇ ਮਿਡਲ ਸਕੂਲ ਇੰਚਾਰਜ ਸ਼੍ਰੀਮਤੀ ਨਰਿੰਦਰ ਕੌਰ, ਸੋਨੀਆ ਰਾਣੀ, ਰਾਜਨਦੀਪ ਕੌਰ ਪ੍ਰਾਇਮਰੀ ਸਕੂਲ ਦਾ ਸਟਾਫ ਰਾਜਵਿੰਦਰ ਕੌਰ, ਕਿਰਨਦੀਪ ਕੌਰ, ਰਮਨਦੀਪ ਕੌਰ, ਕਮਲਜੀਤ ਕੌਰ ਤੇ ਮਿਡ ਡੇ ਮੀਲ ਵਰਕਰ ਮਨਜੀਤ ਕੌਰ, ਜਸਵੀਰ ਕੌਰ, ਸਿਮਰਨ ਦੀਪ ਕੌਰ ਆਦਿ ਮੌਜੂਦ ਸਨ।

## MEDICAL CHECKUP OF WORKER



ENVIRONMENT CELL



## PWRDA PERMISSION



**PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY**  
**SCO 149-152, SECTOR 17, CHANDIGARH – 160017**

**PERMISSION FOR EXTRACTION OF GROUNDWATER**

*(Under The Punjab Groundwater Extraction And Conservation Directions, 2023)*

Unit ID	Permission Number	Date of Grant of Permission	Valid up to
20230100701	GW/PWRDA/07/2024/L2/246	12-Jul-2024	11-Jul-2027

1	Name of Unit	M/s Vital Steel Bars Llp	
2	Activity of Unit	Industrial	
3	Address/Location of Unit	Village- Budhewal, Chandigarh Road, Ludhiana East, Ludhiana-I, Punjab, 141112, Chandigarh Road	
		Budhewal (187)	PIN: 141112
4	Assessment Area(Block)	LUDHIANA-1	Status: ORANGE
5	District	LUDHIANA	
6	Head Office Address	Village- Budhewal, Chandigarh Road, Ludhiana East, Ludhiana-I, Punjab, 141112	
		LUDHIANA, PUNJAB	PIN: 141112
	Email	vitalsteelbarsllp@gmail.com	
	Phone/Mobile No.	7527044302	
7	Project Status	Existing : 01-10-2019	
8	No. of Existing Tube-Wells	No. of Proposed Tube-Wells	Total Number of Tube-Wells Permitted
		3	0
9	Volume of Ground Water Permitted to be Extracted (m3/month)	Fresh	Brackish/Saline
		1800	0

Note: This permission is granted in terms of the Punjab Groundwater Extraction and Conservation Directions, 2023 notified on 27th January, 2023 under section 15 of the Punjab Water Resources (Management and Regulation) Act, 2020 and is subject to the conditions given overleaf.

Digitally signed by NAVANJOT SINGH CHHATWAL  
Reason: Approval  
Location: Chandigarh  
Date: 12-07-2024 17:01:23 PM

Designation : A.O.L-2

## TEST REPORTS

## AMBIENT AIR QUALITY REPORTS


**CHANDIGARH POLLUTION  
TESTING LABORATORY**

(Environmental Monitoring, EIA, NOC, ETP, STP)

NABET Accredited EIA Consultant



H.O. : #372, Sector 15-A, Chandigarh-160 015  
Phone : 0172-4669295  
Lab : E-126, Phase-VII, Indl. Area, Mohali - 160055  
Phone : 0172-5090312  
E-mail : cptle126@gmail.com ; lab@cptl.co.in  
Website : www.cptl.co.in



## TEST CERTIFICATE

Format No. CPTLF7 8-I(A)

REPORT No. CPTL/E.C/2024/09/23(A)

REPORTING DATE: 16-09-2024

**NAME OF INDUSTRY:** M/s. VITAL STEEL BARS LLP,  
VILL. - BUDHEWAL, CHANDIGARH ROAD.,  
LUDHIANA EAST, LUDHIANA I-141112.

## SAMPLE PARTICULARS

Sampling Plan Ref No.:	CPTLF 7.3-1	Type of Sample:	Ambient Air
Sampling Method:	CPTL/SM/01	Point of Sample:	Project Site
Date of Sample Collection:	10-09-2024	Environmental Conditions:	Normal
Date of Sample Received in Lab.:	10-09-2024	Analysis Duration:	10-09-2024 to 16-09-2024
Sample Identification No.:	CPTL/E.C/2024/09/23(A)	Sample Collected By:	Daljeet Singh & Team
Nature of Sample:	Air Sample		

## TECHNICAL DATA

1.	Location of Sampling station	Project Site
2.	Instrument used for Sampling	RDS, FPS, & Gaseous Attachment
3.	Time period for Sampling	240 minutes

PARAMETERS	RESULTS	AS PER NAAQS- 2009 PRESCRIBED BY CPCB	TEST METHOD
Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	81.5	100	IS:5182 (P-23): 2006, (RA – 2012)
Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	37.5	60	IS:5182 (P-24): 2019
Nitrogen Dioxide (NO <sub>2</sub> ), µg/m <sup>3</sup>	16.6	80	IS:5182 (P-6): 2006, (RA – 2012)
Sulphur dioxide (SO <sub>2</sub> ), µg/m <sup>3</sup>	6.4	80	IS:5182 (P-2): 2001, (RA-2012)
Carbon monoxide (CO), mg/m <sup>3</sup>	0.53	4	IS:5182 (P-10): 1999, (RA – 2009)

*Q. Singh*  
Chemist In-Charge  
Date: 16/9/24

*Sital Singh*  
Sital Singh (CEO)  
(Authorized Signatory)  
Date: 16/09/2024

- The results are related to test items only.
- This certificate is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without approval of laboratory.
- Sample will be destroyed after retention time unless otherwise specified.

Page 1 of 1

\*\*\*END OF REPORT\*\*\*

# NOISE MONITORING REPORTS



**CHANDIGARH POLLUTION TESTING LABORATORY**  
 (Environmental Monitoring, EIA, NOC, ETP, STP)  
 NABET Accredited EIA Consultant



H.O. : #372, Sector 15-A, Chandigarh-160 015  
 Phone : 0172-4669295  
 Lab : E-126, Phase-VII, Indl. Area, Mohali - 160055  
 Phone : 0172-5090312  
 E-mail : cptle126@gmail.com ; lab@cptl.co.in  
 Website : www.cptl.co.in



## TEST CERTIFICATE

REPORT No. CPTL/E.C/2024/09/23(N)

Format No. CPTLF7-8-1(N)

REPORTING DATE: 16-09-2024

**NAME OF INDUSTRY:** M/s. VITAL STEEL BARS LLP,  
 VILL. - BUDHEWAL, CHANDIGARH ROAD.,  
 LUDHIANA EAST, LUDHIANA I-141112.

### SAMPLE PARTICULARS

Sampling Plan Ref No.:	CPTLF 7.3-1	Type of Sample:	Air Quality w.r.t Noise
Sampling Method:	CPTL/SM/01	Sampling location:	Different location
Date of Monitoring:	10-09-2024	Environmental Conditions:	Normal
Sample Identification No.:	CPTL/E.C/2024/09/23(N)	Monitoring Done By:	Daljeet Singh & Team
Nature of Sample:	Noise Level Monitoring		

### NOISE LEVEL

S. No.	Sub-Location	Value in dB(A) (Average) Day Time	Test Method
1.	Project Site	53.8	IS: 9989:1981(Rev.2002)

*[Signature]*  
 Chemist In Charge  
 Date: 16/9/24

*[Signature]*  
 Sital Singh (CEO)  
 (Authorized Signatory)  
 Date: 16/09/2024

- The results are related to test items only.
- This certificate is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without approval of laboratory. Sample will be destroyed after retention time unless otherwise specified.

## GROUND WATER MONITORING REPORTS



**CHANDIGARH POLLUTION  
TESTING LABORATORY**  
(Environmental Monitoring, EIA, NOC, ETP, STP)  
NABET Accredited EIA Consultant



H.O. : #372, Sector 15-A, Chandigarh-160 015  
Phone : 0172-4669295  
Lab : E-126, Phase-VII, Indl. Area, Mohali - 160055  
Phone : 0172-5090312  
E-mail : cptle126@gmail.com ; lab@cptl.co.in  
Website : www.cptl.co.in



### TEST CERTIFICATE

REPORT No. CPTL/E.C/2024/09/23(W)

Format No. CPTLF7.8-I(W)  
REPORTING DATE: 16-09-2024

NAME OF INDUSTRY:	M/s. VITAL STEEL BARS LLP, VILL. - BUDHEWAL, CHANDIGARH ROAD., LUDHIANA EAST, LUDHIANA I-141112.
-------------------	--

#### SAMPLE PARTICULARS

Date of Sample Collection	10-09-2024
Sample Received in Lab	10-09-2024
Type of Sample	Ground Water (Grab)
Sampling Plan Ref. No.	CPTLF7.3-1
Sampling Method	CPTL/SM/01
Environmental conditions	Normal
Point of Sample Collection	From Borewell
Quantity & Packaging	2.0 liters in Plastic bottle
Sample Identification No.	CPTL/E.C/2024/09/23(W)
Analysis Duration	10-09-2024 to 16-09-2024
Sample Collected By	Daljeet Singh & Team
Visual Observation	Clear and colourless.

#### TEST RESULTS

S. No.	Parameters	Results	Acceptable Limit	Permissible Limit	Test Method
1.	pH	7.57	6.5-8.5	No relaxation	IS: 3025 (P-11): 2022
2.	Color, HU	<5	5	15	IS: 3025 (P-4): 2021
3.	Turbidity, NTU	<1	1	5	IS: 3025 (P-10): 1984 (RA-2017)
4.	Total Dissolved Solids, mg/l	311	500	2000	IS: 3025 (P-16): 1999 (RA-2019)
5.	Total Hardness (as CaCO <sub>3</sub> ), mg/l	295	200	600	IS: 3025 (P-21): 2009 (RA-2019)
6.	Calcium (as Ca <sup>++</sup> ), mg/l	54.0	75	200	IS: 3025 (P-40): 2004
7.	Magnesium (as Mg <sup>++</sup> ), mg/l	21.6	30	100	IS: 3025 (P-46): 1994 (RA-2019)
8.	Total Alkalinity (as CaCO <sub>3</sub> ), mg/l	290	200	600	IS: 3025 (P-23): 2006
9.	Chloride (as Cl), mg/l	22.5	250	1000	IS: 3025 (P-32): 1998 (RA-2019)
10.	Sulphate (as SO <sub>4</sub> ), mg/l	18.5	200	400	IS: 3025 (P-24): 2022
11.	Iron (as Fe), mg/l	0.12	0.3	No relaxation	IS: 3025 (P-53): 2003 & C/1, 10 Phenanthroline Method (RA-2019)
12.	Zinc (as Zn), mg/l	BDL (DL-0.5)	5	15	IS: 3025 (P-49): 1994 (RA-2019)
13.	Nitrate (as NO <sub>3</sub> ), mg/l	BDL (DL-1.0)	45	No relaxation	IS: 3025 (P-34): 2022
14.	Total Chromium ( as Cr), mg/l	BDL (DL-0.04)	0.05	No relaxation	IS: 3025 (P-52): 2003 (RA-2019)
15.	Manganese (as Mn), mg/l	BDL (DL-0.09)	0.1	0.3	IS: 3025 (P-59): 2006





Sample Received in Lab	10-09-2024
Type of Sample	Ground Water (Grab)
Sample Identification No.	CPTL/E.C/2024/09/23(W)

S. No.	Parameters	Results	Acceptable Limit	Permissible Limit	Test Method
16.	Lead (as Pb), mg/l	BDL (DL-0.01)	0.01	No relaxation	IS: 3025 (P-47); 1994 (RA-2019)
17.	Arsenic (as As), mg/l	BDL (DL-0.01)	0.01	0.05	IS: 3025 (P-37); 2022
18.	Copper (as Cu), mg/l	BDL (DL-0.04)	0.05	1.5	IS: 3025 (P-42); 1992 (RA-2019)
19.	Boron (as B), mg/l	BDL (DL-0.1)	0.5	1.0	IS: 3025 (P-57); 2021
20.	Cadmium (as Cd), mg/l	BDL (DL-0.001)	0.003	No relaxation	IS: 3025 (P-41); 1992 (RA-2019)
21.	Fluoride (as F ), mg/l	BDL (DL-0.1)	1.0	1.5	IS: 3025 (P-60); 2008
22.	Free Residual Chlorine (as Cl <sub>2</sub> ), mg/l	BDL (DL-0.1)	0.2	1	IS: 3025 (P-26); 2021
23.	Selenium (as Se), mg/l	BDL (DL-0.01)	0.01	No relaxation	IS: 3025 (P-56); 2003 (RA-2019)

BDL-Below Detection Limit  
 DL-Detection Limit

(Chemist In-Charge)  
 Date: 16/9/24

Sital Singh (CEO)  
 (Authorized Signatory)  
 Date: 16/09/2024

- The results are related to test items only.
- This certificate is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without approval of laboratory.
- Sample will be destroyed after retention time unless otherwise specified.